



CARTER MACHINERY COMPANY LIMITED

MACHINERY & TOOLING

The complete range, in your hands.



See the machine. Find your capacity.

Photos, capacities and prices - ready to browse, download and print.

OCTOBER 2026 · 50-PAGE PRINT CATALOGUE

0800 644 4045
sales@cartermachinery.co.uk
cartermachinery.co.uk

MACHINERY

The Carter range at a glance

Hydraulic press brakes	3	Swagers	16
Press brakes · capacities & prices	4	Drilling & workshop power	17
Electric servo press brakes	5	HVAC machines & circle cutters	18
Hydraulic guillotines	6	Profile rolling & V-grooving	19
Direct-drive & treadle guillotines	7	Laser cutting & welding	20
Box & pan folders	8	More machinery, tooling & support	21
Magnetic folders & combined machines	9	Punches	22
250 mm double-mitre bandsaws	10	Dies	31
Circular cold saws & bar benders	11	Hemming & joggle tools	42
Bending rolls	12	Tool holders	44
Hydraulic steelworkers	13	Radius tooling	48
Hydraulic steelworkers	14	Intermediates & clamps	49
Corner & tube notchers	15	Ordering & contact	50

A practical catalogue, just like the ones we used to post.

Print the whole range or just the pages you need. Use A4, actual size or fit to printable area; for two-sided printing, choose long-edge binding. This 50-page edition uses 25 sheets when printed double-sided.

Prices: GBP, excluding VAT and delivery unless stated. POA means price on application. Prices checked 28 October 2026; availability, capacity and final equipment are confirmed by written quotation. Images represent the machine range.

Tooling: all 181 product/profile entries and 427 priced lengths and formats. Drawings are reference illustrations, not to scale; confirm dimensions and fitment before order.

MACHINERY

Hydraulic press brakes

Choose your control. Then choose your capacity.



2-axis NC



5-axis CNC



10-axis CNC

Control	At a glance	From, excl. VAT
2-axis NC	Powered bend depth and backgauge positioning.	£17,683
5-axis CNC	Graphical programming, X/R backgauge and crowning.	£20,183
10-axis CNC	Independent backgauge positioning and crowning.	£32,683

Working lengths: 1320-4000 mm. **Rated force:** 20-250T.

5-axis and 10-axis CNC packages include laser guarding, quick-release top holders, front support arms and top/bottom tooling. Exact equipment is confirmed for the selected machine.

Press brake + guillotine package

£44,500 + VAT and delivery

3400 × 125T 5-axis CNC press brake + 3200 × 6 mm CNC hydraulic guillotine.

New machines: 24-month parts-and-labour warranty, commissioning and basic training. Package subject to availability and quotation.

[View range / enquire online](#)

MACHINERY

Press brakes · capacities & prices

Bending length in millimetres × rated force in tons.

Carter capacity	2-axis NC	5-axis CNC	10-axis CNC
1320 × 20T	£17,683	£20,183	£32,683
1320 × 40T	£18,480	£20,980	£33,480
2050 × 40T	£19,233	£21,733	£34,233
2050 × 63T	£19,983	£22,483	£34,983
2500 × 63T	£20,733	£23,233	£35,733
3200 × 63T	£22,233	£24,733	£37,233
2500 × 80T	£24,233	£26,733	£39,233
3200 × 80T	£25,433	£27,933	£40,433
4000 × 80T	£26,483	£28,983	£41,483
2500 × 100T	£24,983	£27,483	£39,983
3200 × 100T	£25,733	£28,233	£40,733
4000 × 100T	£28,733	£31,233	£43,733
2500 × 125T	£25,983	£28,483	£40,983
3200 × 125T	£27,250	£29,750	£42,250
3400 × 125T	£28,383	£30,883	£43,383
4000 × 125T	£31,483	£33,983	£46,483
3200 × 160T	£31,483	£33,983	£46,483
4000 × 160T	£32,733	£35,233	£47,733
4000 × 180T	£34,733	£37,233	£49,733
3200 × 200T	£34,733	£37,233	£49,733
4000 × 200T	£39,233	£41,733	£54,233
3200 × 250T	£39,233	£41,733	£54,233
4000 × 250T	£44,233	£46,733	£59,233

Prices exclude VAT and delivery. Match tonnage to material, bend length and tooling; rated force alone does not establish a thickness capacity.

[View range / enquire online](#)

MACHINERY

Electric servo press brakes

Compact electric bending, from 3T to 60T.



Bending length × force	Drive	Price excl. VAT
200 mm × 3T	Single servo	£10,118.49
400 mm × 6T	Single servo	£12,729.95
600 mm × 12T	Single servo	£17,777.91
600 mm × 12T	Dual servo	POA
800 mm × 18T	Dual servo	£23,610.43
1250 mm × 35T	Dual servo	£26,982.01
1250 mm × 40T	Dual servo	POA
1600 mm × 40T	Dual servo	£30,496.57
1600 mm × 50T	Dual servo	£35,414.71
2000 mm × 50T	Dual servo	£52,278.23
2000 mm × 60T	Dual servo	£67,553.79

Single-servo models: Y, X, R. Dual-servo models: Y1, Y2, X, R. Powered crowning on 2000 mm models. Tooling and supplied equipment confirmed by model.

[View range / enquire online](#)

MACHINERY

Hydraulic guillotines

Cutting length × rated thickness. NC and CNC prices side by side.



NC hydraulic



CNC hydraulic

Capacity	NC · excl. VAT	CNC · excl. VAT
2000 × 4 mm	£13,156	£15,656
2500 × 4 mm	£11,656	£14,156
3200 × 4 mm	£14,656	£17,156
2000 × 6 mm	£14,159	£16,659
2500 × 6 mm	£14,660	£17,160
3200 × 6 mm	£15,660	£18,160
4000 × 6 mm	£24,160	£26,660
2500 × 8 mm	£15,660	£18,160
3200 × 8 mm	£16,810	£19,310
4000 × 8 mm	£25,160	£27,660
2500 × 10 mm	£19,910	£22,410
3200 × 10 mm	£22,210	£24,710
4000 × 10 mm	£28,810	£31,310
2500 × 12 mm	£24,160	£26,660
3200 × 12 mm	£24,160	£26,660
4000 × 12 mm	£33,060	£35,560
2500 × 16 mm	£27,660	£30,160
3200 × 16 mm	£30,660	£33,160
4000 × 16 mm	£37,660	£40,160
2500 × 20 mm	£30,660	£33,160
3200 × 20 mm	£33,160	£35,660
4000 × 20 mm	£41,160	£43,660

CNC models include programmable cutting, powered backgauge and rear thin-gauge sheet support. Confirm material grade and rated capacity for your application.

MACHINERY

Direct-drive & treadle guillotines

Direct drive



Electric vertical-action shears with powered backgauge.

Capacity	Excl. VAT
1250 × 3.5 mm	£8,486
1500 × 3.25 mm	£9,366.67
2000 × 3.5 mm	£9,806
2500 × 2 mm	£9,570
2500 × 3.5 mm	£10,570
3000 × 3.25 mm	£11,566.67

Digital readout, counter, blade-gap adjustment, front support and foot control.

[View range / enquire online](#)

Treadle



Foot-operated sheet cutting without an electrical drive.

Capacity	Price
1320 × 1.5 mm	POA
2500 × 1.0 mm	POA

Front table, squaring/support arms, graduated backgauge and rake adjustment.

[View range / enquire online](#)

MACHINERY

Box & pan folders

Manual and hydraulic folding with segmented tooling.



Manual box & pan folder



Hydraulic box & pan folder

Manual · mainland UK delivery included

Folding capacity	Price excl. VAT
1320 × 2.5 mm	£3,750
2000 × 2.5 mm	£4,250
2500 × 2.5 mm	£4,750
3000 × 2 mm	£5,250

Hydraulic · delivery quoted separately

Folding capacity	Supply	Price excl. VAT
2000 × 4 mm	415 V three-phase	£14,844.17
2500 × 2 mm	415 V three-phase	£13,291.67
2500 × 3 mm	415 V three-phase	£16,626.67
2500 × 5 mm	415 V three-phase	£19,920.83
3200 × 2 mm	415 V three-phase	£13,945
3200 × 2 mm	240 V single-phase	£16,258.33
3200 × 3 mm	415 V three-phase	£19,125
3200 × 3 mm	240 V single-phase · 32 A	£20,416.67
4000 × 3 mm	415 V three-phase	£26,004.17

Manual 2500 and 3000 mm models: segmented top/bottom tooling and rear support table. Hydraulic models: powered clamping and bending.

MACHINERY

Magnetic folders & combined machines

Magnetic folders



Capacity	Price
625 mm × 1.6 mm	POA
1000 mm × 1.6 mm	POA
1250 mm × 1.6 mm	POA
2000 mm × 1.6 mm	POA
2500 mm × 1.6 mm	POA
3200 mm × 1.2 mm	POA

Magnetic clamping, removable clamp bar and folding beam. Manual and pneumatic-assisted versions.

[View range / enquire online](#)

Press brake + guillotine



£28,500 + VAT

Operation	Capacity
Bending	100T × 3700 mm
Cutting	3000 × 6 mm

2-axis control, powered backgauge and mechanical blade-gap adjustment. Delivery quoted separately.

[View range / enquire online](#)

MACHINERY

250 mm double-mitre bandsaws



Manual vice / gravity feed



Hydraulic semi-automatic

Machine	Price excl. VAT	Delivery
Manual	£3,083.33	UK mainland included
Hydraulic semi-auto	£3,660	UK mainland included

Cutting angle	Round	Rectangular · W × H
0° · straight cut	250 mm	280 × 230 mm
+45° / -45°	190 mm	180 × 230 mm
60°	120 mm	115 × 230 mm

Both include saw blade, coolant and small roller table. Material is positioned manually for each cut. Semi-auto adds hydraulic vice operation and powered bow lift.

[View range / enquire online](#)

MACHINERY

Circular cold saws & bar benders

Circular cold saws



Capacity	315 mm	350 mm
Round at 90°	100 mm	120 mm
Rect. at 90°	140 × 90 mm	140 × 100 mm
Round at 45°	90 mm	105 mm
Rect. at 45°	100 × 90 mm	100 × 100 mm

Both sizes: POA

Geared head; mitre cuts 45° left and right. Vice, coolant, blade and stand.

[View range / enquire online](#)

Manual bar benders



Capacity	70 × 6	100 × 5
Steel flat bar	70 × 6 mm	100 × 5 mm
Square bar	16 × 16 mm	16 × 16 mm
Round bar	Ø18 mm	Ø18 mm
Steel angle	60 × 8 mm	60 × 8 mm
Price excl. VAT	£475	£625

Bench mounted with angle guide, stops and forming blocks. Delivery quoted separately.

[View range / enquire online](#)

MACHINERY

Bending rolls

Top-slip, hydraulic initial-pinch and mechanical pyramid rolls.



Manual top-slip



Electric top-slip



Hydraulic



Mechanical pyramid

Width × thickness	Arrangement	Price
305 × 0.8 mm	Manual	POA
500 × 0.8 mm	Manual	POA
610 × 1.0 mm	Manual	POA
762 × 0.8 mm	Manual	POA
1270 × 1.6 mm	Manual	POA
1270 × 1.6 mm	Electric	POA
1300 × 4 mm	Hydraulic initial-pinch	POA
1300 × 8 mm	Hydraulic initial-pinch	POA
1550 × 7 mm	Hydraulic initial-pinch	POA
2540 × 3.5 mm	Hydraulic initial-pinch	POA
3050 × 3.5 mm	Hydraulic initial-pinch	POA
1300 × 4 mm	Mechanical pyramid	POA
2500 × 8 mm	Mechanical pyramid	POA
3100 × 6 mm	Mechanical pyramid	POA

Confirm material, finished diameter, working width and pre-bending requirement. Rolling and pre-bending capacities differ. A 1270 × 1.5 mm top-slip stock option is also advertised; confirm the exact machine.

[View range / enquire online](#)

MACHINERY

Hydraulic steelworkers

Punching, section cutting and shearing. Capacities depend on material grade.

40T steelworker



£5,600 + VAT

Capacity	Size
Punching	Ø20 mm / 10 mm max.
Angle at 90°	80 × 8 mm
Round bar	Ø30 mm
Square bar	25 × 25 mm

45T steelworker



Price on application

Capacity	Size
Punching	Ø22 × 15 mm
Angle at 90°	100 × 10 mm
Round bar	Ø30 mm
Square bar	30 × 30 mm

60T steelworker



Price on application

Capacity	Size
Punching	Ø28 × 12 mm
Angle at 90°	127 × 12 mm
Round bar	Ø40 mm
Square bar	35 × 35 mm

66T steelworker



Price on application

Capacity	Size
Punching	Ø22 × 20 mm
Angle at 90°	125 × 12 mm
Round bar	Ø45 mm
Square bar	40 × 40 mm

MACHINERY

Hydraulic steelworkers

Punching, section cutting and shearing. Capacities depend on material grade.

90T steelworker



Price on application

Capacity	Size
Punching	Ø26 × 22 mm
Angle at 90°	140 × 12 mm
Round bar	Ø50 mm
Square bar	50 × 50 mm

120T steelworker



Price on application

Capacity	Size
Punching	Ø31 × 27 mm
Angle at 90°	160 × 14 mm
Round bar	Ø60 mm
Square bar	50 × 50 mm

165T steelworker



Price on application

Capacity	Size
Punching	Ø36 × 32 mm
Angle at 90°	180 × 16 mm
Round bar	Ø65 mm
Square bar	55 × 55 mm

200T steelworker



Price on application

Capacity	Size
Punching	Ø40 × 35 mm
Angle at 90°	200 × 20 mm
Round bar	Ø65 mm
Square bar	60 × 60 mm

MACHINERY

Corner & tube notchers

Hydraulic corner notchers



Fixed angle

Variable angle

Fixed-angle capacity	Excl. VAT
250 × 250 × 4 mm	£4,628.33
250 × 250 × 6 mm	£5,625
250 × 250 × 8 mm	£7,291.67

Variable-angle 6 mm: POA

250 × 250 mm blades, table stops and foot control.
Fixed-angle supply: 415 V three-phase.

[View range / enquire online](#)

Tube notchers



Pipe range: 1/4-2 in

Price on application

Motor-driven, bench-mounted notcher. Confirm actual tube outside diameter, material, wall thickness and tooling.

Manual tube notchers also available to enquiry.

[View range / enquire online](#)

MACHINERY

Swagers

Manual and electric machines for beading, flanging and ductwork.

Manual bench swager · 0.8 mm



POA

Throat 177 mm · 6 sets of rolls

Manual bench swager · 1.2 mm



POA

Throat 200 mm · 4 sets of rolls

Electric swager · 1.2 mm



POA

Throat 200 mm · 4 sets of rolls

Electric duct swager · 1.8 mm



POA

Throat 238 mm · 3 sets of rolls

Electric swager · 2.5 mm



POA

Throat 280 mm · 4 sets of rolls

Electric swager · 4 mm



POA

Throat 300 mm · 4 sets of rolls

MACHINERY

Drilling & workshop power

50 mm geared-head drill



£4,687.50 + VAT

Capacity	Size
Maximum drilling capacity	50 mm
Tapping capacity	M24
Spindle taper	MT4

Power spindle feed, tapping and motorised table elevation. Delivery quoted separately.

[View range / enquire online](#)

Phase converters

Run suitable three-phase workshop machinery from a single-phase supply.

Rated output	Excl. VAT
7.5 kW	£1,859
15 kW	£2,585

Input: 230 V single phase.

Output: 400 V three phase + neutral, 50 Hz.

Digital readout and fan cooling. Match the converter to starting demand, controls and the complete machine load.

[View range / enquire online](#)

MACHINERY

HVAC machines & circle cutters

Lockformers



Compact

Heavy-duty

Machine	Mild steel	Price
Compact	26-20 Ga	POA
Heavy-duty	25-16 Ga	POA

Hardened rolls and guarding. Confirm required seam profiles and material thickness.

Elbow makers and duct formers: POA. Send duct size, thickness and seam details.

[View range / enquire online](#)

Circle cutters



Manual

Electric

Capacity	Both models
Blank diameter	150-500 mm
Stated thickness	1.5 mm
Throat	500 mm
Flange height	8 mm

Manual and electric: POA

Cutting and flanging roll sets with table guides. Confirm material and the required operation.

[View range / enquire online](#)

MACHINERY

Profile rolling & V-grooving

CNC aluminium profile rollers



Force	Profile guide	Excl. VAT
15T	80 × 80 × 3	£31,500
25T	100 × 100 × 3	£42,350
40T	120 × 120 × 3	£54,000
70T	120 × 120 × 3	£64,750

Profile guide in mm. Maximum part width: 200 mm on 15T; 300 mm on other sizes. Three driven rollers and CNC control.

[View range / enquire online](#)

V-grooving machines



Working area · mm	Sheet	Price
2000 × 1250	0.4-8 mm	POA
3200 × 1500	0.4-8 mm	POA
4000 × 1500	0.4-8 mm	POA
6000 × 1500	0.4-8 mm	POA
3200 × 1250	0.4-6 mm	POA
3200 × 1500	0.4-6 mm	POA
4000 × 1250	0.4-6 mm	POA
4000 × 1500	0.4-6 mm	POA

CNC groove-depth and position control. Confirm material and the required groove.

[View range / enquire online](#)

MACHINERY

Laser cutting & welding

Fibre laser cutters



Working area / power	Excl. VAT
3000 × 1500 mm · 3000 W	£47,300
3000 × 1500 mm · 6000 W	£54,450

3000 W reference: mild steel 18 mm, stainless 12 mm, aluminium 8 mm. Capacity depends on gas, material and finish.

Optional equipment	Excl. VAT
Dual-table system	£7,150
Dust filtration / extraction	£7,150
Air compressor	£6,160

[View range / enquire online](#)

Handheld laser welders



Output power	Excl. VAT
1500 W	£8,995
2000 W	£10,495

Wire-feed system included. Water cooled; 415 V three-phase supply.

Quantity offers: 10% off 2 or more; 15% off 4 or more.

Laser equipment requires a suitable controlled work area, extraction, guarding and trained operators. Confirm the complete safety package in the quotation.

[View range / enquire online](#)

MACHINERY

More machinery, tooling & support

Tell us the job, material and required capacity. These ranges are quoted to suit the application.

Machinery range	Capacity / selection	Price
Belt linishers	Belt size, component and finish to enquiry	POA
Chop saws	Section, material and mitres to enquiry	POA
Manual punching	Hole size, thickness and throat to enquiry	POA
Portable hydraulic punching	Up to 35T; 110 mm throat*	POA
Manual section rollers	25 mm shafts; minimum diameter stated as 200 mm*	POA
Radial-arm drills	Drilling capacity, swing and work height to enquiry	POA
Ring rollers	Section and finished diameter to enquiry	POA
Rotary swagers	Tube OD, wall and required end profile to enquiry	POA
Spot welders	16, 26 and 36 kVA options	POA

*Application-dependent. Portable punching: published maxima 20 mm hole and 12 mm plate; confirm the permitted combination.

Blades, rolls, punches, spares & service

Guillotine, bandsaw and circular-saw blades; steelworker punches and dies; swager/HVAC rolls; press brake clamps and holders. Send the machine details, dimensions and a photo for a quotation.

Tooling & spares: spares@cartermachinery.co.uk

Service: service@cartermachinery.co.uk


0800 644 4045

PRESS BRAKE TOOLING

Punches

Prices exclude VAT and delivery. Select the exact profile, variant and length.

1010 × 88° × 0.8 / 2.9 phase




Length / format	Excl. VAT
415 mm	£105.60
835 mm	£183.60
835 mm segmented	£328.80

Tip phase: 0.8 mm / 2.9 mm

[Full details / enquire online](#)

1010 A H105 85° & 88°




Length / format	Excl. VAT
415 mm	£190.80
835 mm	£336
835 mm segmented	£525.60

Angle: 85° / 88°

[Full details / enquire online](#)

All lengths in mm. Drawings not to scale. Confirm exact variant, mounting and working load.

1010 A - 85° & 88°




Length / format	Excl. VAT
415 mm	£109.20
835 mm	£189.60
835 mm segmented	£336

Angle: 85° / 88°

[Full details / enquire online](#)

1011 × 45° phase



Length / format	Excl. VAT
415 mm	£116.40
835 mm	£205.20
835 mm segmented	£346.80


[Full details / enquire online](#)

PRESS BRAKE TOOLING

Punches

Prices exclude VAT and delivery. Select the exact profile, variant and length.


1011 A × 45°



Length / format	Excl. VAT
415 mm	£122.40
835 mm	£214.80
835 mm segmented	£372

[Full details / enquire online](#)


1012 × 35° knife edge



Length / format	Excl. VAT
415 mm	£142.80
835 mm	£255.60
835 mm segmented	£411.60

[Full details / enquire online](#)


1012 A × 35° knife edge



Length / format	Excl. VAT
415 mm	£154.80
835 mm	£273.60
835 mm segmented	£435.60

[Full details / enquire online](#)

3864 H65 × 35° knife edge



Length / format	Excl. VAT
415 mm	£142.80
835 mm	£255.60
835 mm segmented	£411.60

[Full details / enquire online](#)


All lengths in mm. Drawings not to scale. Confirm exact variant, mounting and working load.

PRESS BRAKE TOOLING

Punches

Prices exclude VAT and delivery. Select the exact profile, variant and length.

1013 - R5, R6 heavy duty punch




Length / format	Excl. VAT
415 mm	£170.40
835 mm	£301.20
835 mm segmented	£459.60

Nose radius: R5 / R6

[Full details / enquire online](#)


1014 × 88° × 0.8 phase gooseneck



Length / format	Excl. VAT
415 mm	£220.80
835 mm	£387.60
835 mm segmented	£562.80

[Full details / enquire online](#)


1014 A 88° gooseneck



Length / format	Excl. VAT
415 mm	£249.60
835 mm	£436.80
835 mm segmented	£628.80

[Full details / enquire online](#)

1014 / 6 - thin gooseneck



Length / format	Excl. VAT
415 mm	£290.40
835 mm	£544.80
805 mm segmented	£739.20

[Full details / enquire online](#)


All lengths in mm. Drawings not to scale. Confirm exact variant, mounting and working load.

PRESS BRAKE TOOLING

Punches

Prices exclude VAT and delivery. Select the exact profile, variant and length.


1015 × 88° × 1.0 deep gooseneck



Length / format	Excl. VAT
415 mm	£236.40
835 mm	£434.40
835 mm segmented	£620.40

[Full details / enquire online](#)


1015 A 88 R0.8 deep gooseneck



Length / format	Excl. VAT
415 mm	£246
835 mm	£453.60
835 mm segmented	£644.40

[Full details / enquire online](#)


1017 × 35° - bolted tool



Length / format	Excl. VAT
415 mm	£156
835 mm	£280.80

[Full details / enquire online](#)

1017 × 26° H117



Length / format	Excl. VAT
415 mm	£166.80
835 mm	£300
835 mm segmented	£475.20

[Full details / enquire online](#)


All lengths in mm. Drawings not to scale. Confirm exact variant, mounting and working load.

PRESS BRAKE TOOLING

Punches

Prices exclude VAT and delivery. Select the exact profile, variant and length.


1017 H140 × 30°



Length / format	Excl. VAT
415 mm	£501.60
835 mm	£910.80
835 mm segmented	£1,275.60

[Full details / enquire online](#)


1018 × 60° phase



Length / format	Excl. VAT
415 mm	£122.40
835 mm	£213.60
835 mm segmented	£360

[Full details / enquire online](#)


1020 A 88° extra deep gooseneck



Length / format	Excl. VAT
415 mm	£382.80
835 mm	£728.40
835 mm segmented	£985.20

[Full details / enquire online](#)

1021 A 30° straight tool



Length / format	Excl. VAT
415 mm	£176.40
835 mm	£314.40
835 mm segmented	£480

[Full details / enquire online](#)


All lengths in mm. Drawings not to scale. Confirm exact variant, mounting and working load.

PRESS BRAKE TOOLING

Punches

Prices exclude VAT and delivery. Select the exact profile, variant and length.


1022 A 88° straight tool 6mm body



Length / format	Excl. VAT
415 mm	£176.40
835 mm	£314.40
835 mm segmented	£480

[Full details / enquire online](#)


1023 A 88°



Length / format	Excl. VAT
415 mm	£176.40
835 mm	£314.40
835 mm segmented	£480

[Full details / enquire online](#)


1024 A 88°



Length / format	Excl. VAT
415 mm	£210
835 mm	£373.20
835 mm segmented	£550.80

[Full details / enquire online](#)

1026 A 88° 4mm nose



Length / format	Excl. VAT
415 mm	£165.60
835 mm	£290.40
835 mm segmented	£466.80

[Full details / enquire online](#)


All lengths in mm. Drawings not to scale. Confirm exact variant, mounting and working load.

PRESS BRAKE TOOLING

Punches

Prices exclude VAT and delivery. Select the exact profile, variant and length.


1027 A 30° knife edge



Length / format	Excl. VAT
415 mm	£212.40
835 mm	£380.40
835 mm segmented	£556.80

[Full details / enquire online](#)


1028 A 88 H145 extra deep gooseneck



Length / format	Excl. VAT
415 mm	£632.40
835 mm	£1,192.80
835 mm segmented	£1,512

[Full details / enquire online](#)


1030 A 88 H165 extra deep gooseneck



Length / format	Excl. VAT
415 mm	£714
835 mm	£1,394.40
835 mm segmented	£1,762.80

[Full details / enquire online](#)

1031 A 60° double gooseneck



Length / format	Excl. VAT
415 mm	£333.60
835 mm	£622.80
835 mm segmented	£950.40

[Full details / enquire online](#)


All lengths in mm. Drawings not to scale. Confirm exact variant, mounting and working load.

PRESS BRAKE TOOLING

Punches

Prices exclude VAT and delivery. Select the exact profile, variant and length.


1032 A 88° reversed gooseneck



Length / format	Excl. VAT
415 mm	£616.80
835 mm	£1,071.60
835 mm segmented	£1,388.40

[Full details / enquire online](#)


1033 A 28° top hemming punch



Length / format	Excl. VAT
415 mm	£360
835 mm	£669.60
835 mm segmented	£993.60

[Full details / enquire online](#)


1034 A 85 R2 H145 extra deep gooseneck



Length / format	Excl. VAT
415 mm	£679.20
835 mm	£1,306.80
835 mm segmented	£1,651.20

[Full details / enquire online](#)

1035 A 85 H175 extra deep gooseneck



Length / format	Excl. VAT
415 mm	£902.40
835 mm	£1,754.40
835 mm segmented	£2,030.40

[Full details / enquire online](#)

All lengths in mm. Drawings not to scale. Confirm exact variant, mounting and working load.

PRESS BRAKE TOOLING

Punches

Prices exclude VAT and delivery. Select the exact profile, variant and length.

1010 A 75 R0.8 H67.6

Exact profile drawing
available on enquiry

Length / format	Excl. VAT
415 mm	£122.40
835 mm	£223.20
835 mm segmented	£367.20

[Full details / enquire online](#)

1016 - premium 7mm nose - 20T/m

Exact profile drawing
available on enquiry

Length / format	Excl. VAT
415 mm	£405.60
835 mm	£704.40
805 mm segmented	£1,005.60

[Full details / enquire online](#)

All lengths in mm. Drawings not to scale. Confirm exact variant, mounting and working load.

1010 A 75 R0.8 H105

Exact profile drawing
available on enquiry

Length / format	Excl. VAT
415 mm	£200.40
835 mm	£358.80
835 mm segmented	£554.40

[Full details / enquire online](#)

1029 A 85 R5/ R6.5

Exact profile drawing
available on enquiry

Length / format	Excl. VAT
415 mm	£398.40
835 mm	£747.60
835 mm segmented	£942


[Full details / enquire online](#)

PRESS BRAKE TOOLING

Dies

Prices exclude VAT and delivery. Select the exact profile, variant and length.


2008 - 3 U die chamfers



Length / format	Excl. VAT
415 mm	£189.60
835 mm	£327.60
835 mm segmented	£512.40

[Full details / enquire online](#)


2009 - 4 vee die



Length / format	Excl. VAT
415 mm	£211.20
835 mm	£380.40
835 mm segmented	£584.40

[Full details / enquire online](#)


2009 x 60° 4 vee die



Length / format	Excl. VAT
415 mm	£231.60
835 mm	£422.40
835 mm segmented	£625.20

[Full details / enquire online](#)

2011 V32 /V40 V50 - 85°



Length / format	Excl. VAT
415 mm	£158.40
835 mm	£248.40
805 mm segmented	£463.20

V-opening: 32 mm / 40 mm / 50 mm

[Full details / enquire online](#)


All lengths in mm. Drawings not to scale. Confirm exact variant, mounting and working load.

PRESS BRAKE TOOLING

Dies

Prices exclude VAT and delivery. Select the exact profile, variant and length.


2011 V18 × 30°



Length / format	Excl. VAT
415 mm	£207.60
835 mm	£367.20

[Full details / enquire online](#)


2011 V32 × 45°



Length / format	Excl. VAT
415 mm	£196.80
835 mm	£350.40

[Full details / enquire online](#)


2011 V63 × 85°



Length / format	Excl. VAT
415 mm	£250.80
835 mm	£460.80

[Full details / enquire online](#)

2011 V63 × 60°



Length / format	Excl. VAT
415 mm	£411.60
835 mm	£770.40

[Full details / enquire online](#)


All lengths in mm. Drawings not to scale. Confirm exact variant, mounting and working load.

PRESS BRAKE TOOLING

Dies

Prices exclude VAT and delivery. Select the exact profile, variant and length.


2011 V80 × 85°



Length / format	Excl. VAT
415 mm	£310.80
835 mm	£565.20

[Full details / enquire online](#)


2011 V100 × 80°



Length / format	Excl. VAT
415 mm	£403.20
835 mm	£723.60

[Full details / enquire online](#)


2011 V125 × 80°



Length / format	Excl. VAT
415 mm	£554.40
835 mm	£978

[Full details / enquire online](#)

2011 V160 × 80°



Length / format	Excl. VAT
415 mm	£740.40
835 mm	£1,306.80

[Full details / enquire online](#)


All lengths in mm. Drawings not to scale. Confirm exact variant, mounting and working load.

PRESS BRAKE TOOLING

Dies

Prices exclude VAT and delivery. Select the exact profile, variant and length.


2012 × 88° V6 & V10



Length / format	Excl. VAT
415 mm	£106.80
835 mm	£192

[Full details / enquire online](#)


2012 × 60° V6 & V10



Length / format	Excl. VAT
415 mm	£133.20
835 mm	£244.80

[Full details / enquire online](#)


2012 × 35° V6 & V10



Length / format	Excl. VAT
415 mm	£144
835 mm	£258

[Full details / enquire online](#)

2013 × 88° V8 & V12



Length / format	Excl. VAT
415 mm	£106.80
835 mm	£192

[Full details / enquire online](#)


All lengths in mm. Drawings not to scale. Confirm exact variant, mounting and working load.

PRESS BRAKE TOOLING

Dies

Prices exclude VAT and delivery. Select the exact profile, variant and length.


2013 × 60° V8 & V12



Length / format	Excl. VAT
415 mm	£133.20
835 mm	£244.80

[Full details / enquire online](#)


2013 × 35° V8 & V12



Length / format	Excl. VAT
415 mm	£144
835 mm	£258

[Full details / enquire online](#)


2014 × 88° V12 & V20



Length / format	Excl. VAT
415 mm	£106.80
835 mm	£192

[Full details / enquire online](#)

2014 A 88 - 50mm body V12 & V20



Length / format	Excl. VAT
415 mm	£118.80
835 mm	£219.60

[Full details / enquire online](#)


All lengths in mm. Drawings not to scale. Confirm exact variant, mounting and working load.

PRESS BRAKE TOOLING

Dies

Prices exclude VAT and delivery. Select the exact profile, variant and length.


2014 × 60° V12 & V20



Length / format	Excl. VAT
415 mm	£142.80
835 mm	£250.80

[Full details / enquire online](#)


2015 × 88° V16 & V25



Length / format	Excl. VAT
415 mm	£106.80
835 mm	£192

[Full details / enquire online](#)


2015 A 88 - 50mm body V16 & V25



Length / format	Excl. VAT
415 mm	£118.80
835 mm	£219.60

[Full details / enquire online](#)

2015 × 60° V16 & V25



Length / format	Excl. VAT
415 mm	£142.80
835 mm	£250.80

[Full details / enquire online](#)


All lengths in mm. Drawings not to scale. Confirm exact variant, mounting and working load.

PRESS BRAKE TOOLING

Dies

Prices exclude VAT and delivery. Select the exact profile, variant and length.


2019 88° V4 & V7 reversible vee die



Length / format	Excl. VAT
415 mm	£178.80
835 mm	£326.40
805 mm segmented	£552

[Full details / enquire online](#)


2020 88° V6 & V10 reversible vee die



Length / format	Excl. VAT
415 mm	£178.80
835 mm	£326.40
805 mm segmented	£552

[Full details / enquire online](#)


2021 88° V8 & V12 reversible vee die



Length / format	Excl. VAT
415 mm	£178.80
835 mm	£326.40
805 mm segmented	£552

[Full details / enquire online](#)

2022 88° V12 & V20 reversible vee die



Length / format	Excl. VAT
415 mm	£178.80
835 mm	£326.40
805 mm segmented	£552

[Full details / enquire online](#)


All lengths in mm. Drawings not to scale. Confirm exact variant, mounting and working load.

PRESS BRAKE TOOLING

Dies

Prices exclude VAT and delivery. Select the exact profile, variant and length.


2023 88° V16 & V25 reversible vee die



Length / format	Excl. VAT
415 mm	£178.80
835 mm	£326.40
805 mm segmented	£552

[Full details / enquire online](#)


2024 88° V14 & V18 reversible vee die



Length / format	Excl. VAT
415 mm	£178.80
835 mm	£326.40
805 mm segmented	£552

[Full details / enquire online](#)


2025 30° V8 & V12 reversible vee die



Length / format	Excl. VAT
415 mm	£224.40
835 mm	£404.40
835 mm segmented	£591.60

[Full details / enquire online](#)

2026 30° V6 & V10 reversible vee die



Length / format	Excl. VAT
415 mm	£224.40
835 mm	£404.40
835 mm segmented	£591.60

[Full details / enquire online](#)

All lengths in mm. Drawings not to scale. Confirm exact variant, mounting and working load.


PRESS BRAKE TOOLING

Dies

Prices exclude VAT and delivery. Select the exact profile, variant and length.

2030 · profile variants

2030 / 30°			
V=6 mm	R=0.6 mm	24h	★
V=8 mm	R=0.8 mm		
V=10 mm	R=1 mm		
V=12 mm	R=1.5 mm		
V=16 mm	R=2 mm		
V=20 mm	R=2.5 mm	SOLID 30 Tm	★
V=25 mm	R=3 mm		




Variant	415	835	805 seg.
H80 V6,8,10,12,16,20,25	£271.20	£463.20	£673.20
H120 V6,8,10,12,16,20,25	£398.40	£715.20	£942

[Full details / enquire online](#)

2035 · profile variants

2035 / 35°			24h
V= 8 mm	R= 1,5 mm	H= 80 mm	
V= 12 mm	R= 2 mm	H= 120 mm	
SOLID 30 T/m		★	




Variant	415	835	835 seg.
H80 V8,& 12,	£236.40	£421.20	£644.40
H120 V8,& V12,	£357.60	£670.80	£894

[Full details / enquire online](#)

2045 · profile variants

2045 / 45°			
V=10 mm	R=1 mm	24h	★
V=12 mm	R=1.5 mm		
V=16 mm	R=2 mm		
V=20 mm	R=2.5 mm		
V=25 mm	R=3 mm		
SOLID 70 Tm		★	★




Variant	415	835	805 seg.
H80 V6,8,10,12,16,20,25	£255.60	£439.20	£648
H120 V6,8,10,12,16,20,25	£384	£691.20	£915.60

[Full details / enquire online](#)

2060 · profile variants

2060 / 60°			
V=6 mm	R=0.5 mm	24h	★
V=8 mm	R=0.5 mm		
V=10 mm	R=1 mm		
V=12 mm	R=1.5 mm		
V=16 mm	R=2 mm		
V=20 mm	R=2.5 mm	SOLID 70 Tm	★
V=25 mm	R=3 mm		



Variant	415	835	805 seg.
H80 V6,8,10,12,16,20,25	£242.40	£414	£621.60
H120 V6,8,10,12,16,20,25	£373.20	£666	£891.60

[Full details / enquire online](#)

All lengths in mm. Drawings not to scale. Confirm exact variant, mounting and working load.


PRESS BRAKE TOOLING

Dies

Prices exclude VAT and delivery. Select the exact profile, variant and length.

2085 · profile variants


2085 / 85°		24h
V=6 mm	R=2.75 mm	
V=8 mm	R=2.75 mm	
V=10 mm	R=2.75 mm	
V=12 mm	R=2.75 mm	
V=16 mm	R=2.75 mm	
V=20 mm	R=3 mm	
V=25 mm	R=3 mm	
SOLID 30 Tm		★



Variant	415	835	805 seg.
H80	£224.40	£380.40	£583.20
V6,8,10,12,16,20,25			
H120	£361.20	£638.40	£866.40
V6,8,10,12,16,20,25			

2088 · profile variants

2088 / 88°		24h
V=6 mm	R=1.5 mm	
V=8 mm	R=1.5 mm	
V=10 mm	R=1.5 mm	
V=12 mm	R=1.5 mm	
V=16 mm	R=1.5 mm	
V=20 mm	R=1.5 mm	
V=25 mm	R=1.5 mm	
SOLID 30 Tm		★




Variant	415	835	805 seg.
H80	£224.40	£380.40	£583.20
V6,8,10,12,16,20,25			
H120	£361.20	£638.40	£866.40
V6,8,10,12,16,20,25			

[Full details / enquire online](#)
[Full details / enquire online](#)

2130 · profile variants


2130 / 30°		24h
V=6 mm		
V=8 mm		
V=10 mm		
V=12 mm		
V=16 mm		
V=20 mm		
V=24 mm		
SOLID 30 Tm		★ ★ ★



Variant	415	835	805 seg.
V6,8, & 10	£200.40	£397.20	£625.20
V12	£208.80	£414	£646.80
V16	£226.80	£452.40	£687.60
V20	£247.20	£478.80	£709.20
V25	£254.40	£510	£747.60

2188 · profile variants

2188 / A / 88°		24h
V=6 mm		
V=8 mm		
V=10 mm		
V=12 mm		
V=14 mm		
SOLID 30 Tm		★ ★ ★



Variant	415	835	805 seg.
V4,6 8 & 10	£158.40	£313.20	£654
V12	£162	£319.20	£546
V16	£181.20	£358.80	£584.40
V20	£188.40	£385.20	£612
V25	£208.80	£414	£646.80

[Full details / enquire online](#)
[Full details / enquire online](#)

All lengths in mm. Drawings not to scale. Confirm exact variant, mounting and working load.

PRESS BRAKE TOOLING

Dies · additional profiles

All listed lengths and formats. Exact dimensional drawings on request.

Reference / specification	Length / format · excl. VAT
2008 ES 3 U die radii on corners	415 mm £218.40 835 mm £343.20 805 mm segmented £622.80
2011 V40 x 45°	415 mm £368.40 835 mm £657.60
2011 V50 x 45°	415 mm £452.40 835 mm £800.40
2011 V50 x 60°	415 mm £435.60 835 mm £778.80
2012 A 88 - 50mm body V6 & V10	415 mm £118.80 835 mm £219.60
2013 A 88 - 50mm body V8 & V12	415 mm £118.80 835 mm £219.60
2160 V6. 8 & 10mm	415 mm £181.20 835 mm £355.20 805 mm segmented £580.80
2160 V12	415 mm £184.80 835 mm £368.40 805 mm segmented £595.20
2160 V16	415 mm £206.40 835 mm £406.80 805 mm segmented £636
2160 V20	415 mm £219.60 835 mm £434.40 805 mm segmented £658.80
2160 V25	415 mm £212.40 835 mm £462 805 mm segmented £698.40

Confirm V-opening, angle, height, clamping and permitted working load before order.


[View range / enquire online](#)

PRESS BRAKE TOOLING

Hemming & joggle tools

Prices exclude VAT and delivery. Select the exact profile, variant and length.

3000 - 8, 10 & 12




Length / format	Excl. VAT
415 mm	£310.80
835 mm	£571.20
835 mm segmented	£802.80

U-opening: 8 mm / 10 mm / 12 mm

[Full details / enquire online](#)

3001 × 35° V6 & V8 B hemming tool




Length / format	Excl. VAT
415 mm	£488.40
835 mm	£878.40

V-opening: 6 mm / 8 mm

[Full details / enquire online](#)

3001 × 26° V10 & V12 H135




Length / format	Excl. VAT
415 mm	£765.60
835 mm	£1,185.60

V-opening: 10 mm / 12 mm

[Full details / enquire online](#)

3006 Top & bottom joggle tool holder



Length / format	Excl. VAT
415 mm	£661.20
835 mm	£1,240.80

[Full details / enquire online](#)


All lengths in mm. Drawings not to scale. Confirm exact variant, mounting and working load.

PRESS BRAKE TOOLING

Hemming & joggle tools

Prices exclude VAT and delivery. Select the exact profile, variant and length.

3007 Z inserts 1 - 8mm



Length / format	Excl. VAT
415 mm	£345.60
835 mm	£627.60

Required Z-offset (confirm on order): 1 mm / 1.5 mm / 2 mm / 2.5 mm / 3 mm / 3.5 mm / 4 mm / 4.5 mm / 5 mm / 5.5 mm / 6 mm / 6.5 mm / 7 mm / 7.5 mm / 8 mm

[Full details / enquire online](#)

3007 Z inserts 9 - 15mm

Exact profile drawing available on enquiry

Length / format	Excl. VAT
415 mm	£386.40
835 mm	£702

Required Z-offset (confirm on order): 9 mm / 9.5 mm / 10 mm / 10.5 mm / 11 mm / 11.5 mm / 12 mm / 12.5 mm / 13 mm / 13.5 mm / 14 mm / 14.5 mm / 15 mm

[Full details / enquire online](#)

All lengths in mm. Drawings not to scale. Confirm exact variant, mounting and working load.

3001 x 35° V10 & V12 hemming tool

Exact profile drawing available on enquiry

Length / format	Excl. VAT
415 mm	£591.60
835 mm	£1,008


[Full details / enquire online](#)

PRESS BRAKE TOOLING

Tool holders


Prices exclude VAT and delivery. Select the exact profile, variant and length.

4002 bolt on flattening punch



Length / format	Excl. VAT
415 mm	£97.20
835 mm	£157.20

4003 gooseneck holder




* Acciaio non temprato
Steel not hardened

Length / format	Excl. VAT
415 mm	£382.80
835 mm	£676.80

[Full details / enquire online](#)
[Full details / enquire online](#)


4004 gooseneck holder



* Acciaio non temprato
Steel not hardened

Length / format	Excl. VAT
415 mm	£505.20
835 mm	£902.40

4005 · profile variants



Variant	415	835
H67 bolted holder	£105.60	£168
H67 solid holder	£140.40	£261.60

[Full details / enquire online](#)
[Full details / enquire online](#)


All lengths in mm. Drawings not to scale. Confirm exact variant, mounting and working load.

PRESS BRAKE TOOLING

Tool holders


Prices exclude VAT and delivery. Select the exact profile, variant and length.

4006 · profile variants



Variant	415	835
H34 holder	£100.80	£146.40
A H39 holder	£110.40	£160.80


4007 · profile variants



Variant	415	835
H55 holder	£109.20	£174
A H45 holder	£121.20	£192


[Full details / enquire online](#)
[Full details / enquire online](#)

4008 H75 holder



Length / format	Excl. VAT
415 mm	£158.40
835 mm	£282

4010 rail



Length / format	Excl. VAT
415 mm	£87.60
835 mm	£153.60

[Full details / enquire online](#)
[Full details / enquire online](#)


All lengths in mm. Drawings not to scale. Confirm exact variant, mounting and working load.

PRESS BRAKE TOOLING

Tool holders

Prices exclude VAT and delivery. Select the exact profile, variant and length.


4011 rail on to table



Length / format	Excl. VAT
415 mm	£116.40
835 mm	£212.40

[Full details / enquire online](#)


4016 bottom shoe × 1050mm



Length / format	Excl. VAT
1050 mm	£385.20

[Full details / enquire online](#)


4017 H61.5 separate clamp and rubber



Length / format	Excl. VAT
415 mm	£433.20
835 mm	£715.20

[Full details / enquire online](#)

4018 H50 riser block



Length / format	Excl. VAT
415 mm	£189.60
835 mm	£320.40

[Full details / enquire online](#)

All lengths in mm. Drawings not to scale. Confirm exact variant, mounting and working load.

PRESS BRAKE TOOLING

Tool holders

Prices exclude VAT and delivery. Select the exact profile, variant and length.

4005 H100 solid holder

Exact profile drawing
available on enquiry

Length / format	Excl. VAT
415 mm	£193.20
835 mm	£351.60

[Full details / enquire online](#)

4018 H55 riser block

Exact profile drawing
available on enquiry

Length / format	Excl. VAT
415 mm	£223.20
835 mm	£360

[Full details / enquire online](#)

PRESS BRAKE TOOLING

Radius tooling · 4009

All lengths and prices. Choose the radius and finish.

Radius · mm	Standard 415 mm	Standard 835 mm	Hardened 415 mm	Hardened 835 mm
7/7.5/8	£62.40	£110.40	£97.20	£156
9	£66	£118.80	£97.20	£165.60
10	£51.60	£84	£86.40	£156
11	£80.40	£141.60	£121.20	£200.40
11.5	£80.40	£141.60	£121.20	£200.40
12	£80.40	£141.60	£121.20	£200.40
12.5	£91.20	£158.40	£123.60	£222
13	£82.80	£158.40	£135.60	£222
14	£91.20	£158.40	£135.60	£222
15	£74.40	£122.40	£110.40	£172.80
16	£105.60	£186	£158.40	£261.60
17	£105.60	£186	£158.40	£261.60
17.5	£109.20	£187.20	£163.20	£262.80
19	£118.80	£202.80	£178.80	£285.60
20	£100.80	£162	£150	£228
22.5	£133.20	£237.60	£200.40	£332.40
25	£102	£172.80	£150	£271.20
27.5	£150	£265.20	£225.60	£394.80
30	£129.60	£211.20	£207.60	£369.60
35	£218.40	£404.40	£352.80	£565.20
40	£252	£466.80	£394.80	£742.80
45	£292.80	£541.20	£451.20	£820.80
50	£310.80	£576	£478.80	£866.40

Prices exclude VAT and delivery. First row: choose R7, R7.5 or R8. Confirm holder, mounting, tool height and working load. Exact profile drawing on request.

[View range / enquire online](#)

PRESS BRAKE TOOLING

Intermediates & clamps

Reference / specification	Format	Excl. VAT
5001 Int 1 S intermediate	Per item	£126
5001 HD - heavy duty intermediate 130T/m	Per item	£126
5001 Int 1 S H150	Per item	£145.20
5008 H120 intermediate 20mm offset	Per item	£147.60
5008 HD - heavy duty intermediate 130T/m	Per item	£147.60
6001 Security clamp	Per item	£30
6001 R Security clamp c/w rubber	Per item	£44.40
6006 Quick release clamp with lever	Per item	£48
6006 R Quick release clamp lever c/w rubber	Per item	£64.80
Additional M8 pin spring and washer	Per set	£3

Confirm mounting and compatibility against the machine and tooling. Exact dimensional drawings on request.

Ordering press brake tooling

Quote the full reference, variant, length and quantity. State angle, V-opening, radius, height and finish where applicable.

Confirm tang/clamping system, assembled tool height, permitted working load, segmentation and any horns or special end pieces before ordering.

Drawings in this catalogue are profile references and are not to scale. Original drawing badges do not confirm Carter stock or delivery time.

spares@cartermachinery.co.uk · 0800 644 4045

[View range / enquire online](#)

MACHINERY

The complete range, in your hands.

A proper catalogue for the desk, workshop or next job.

0800 644 4045

Sales

sales@cartermachinery.co.uk

Tooling & spares

spares@cartermachinery.co.uk

Service

service@cartermachinery.co.uk

For a quick quotation

Send the machine or tool reference, capacity, material, thickness and quantity, together with your delivery postcode. A part drawing or photograph helps us check the application.

Ordering made straightforward

New machines include a **24-month parts-and-labour warranty**. Normal machinery payment terms are **30% deposit with order**, balance before delivery or collection. Small-machine and tooling terms are confirmed in the quotation.

Powered machines require a 415 V three-phase supply unless otherwise stated. Delivery, unloading and commissioning arrangements are agreed for the selected machine and site. Prices, capacity, supplied equipment and availability are subject to written quotation.

cartermachinery.co.uk